enviroclad Shop ltd

DECORATIVE PVC & SPC PANELS

A MODERN ALTERNATIVE TO TILES


Vilo MPC Satin Cream


Vilo Motivo Monstera


Vilo Calacatta Black


Vilo Concrete Dust

Unit 57b, Hebron Industrial Estate, Hebron Road, Kilkenny, Ireland. R95 KX64

+353 56 7752866
info@enviroclad.com

enviroclad.com
Showroom open in Kilkenny

facebook.com/enviroclad
Nationwide Delivery Service

VILO SPC PREMIUM RANGE

Solid PVC wall panels for Showers, Bathrooms and Kitchens

No Grouting – Mould and Mildew Resistant – Easy to Install – Adds Insulation – Impact Resistant

Panel Size 300mm x 600mm / 600mm x 1200mm

4mm Solid, Tongue and Grove Panels

Matt Finishes



Vilo Calacatta Snow



Vilo Concrete Light



Vilo Concrete Beige



Vilo Rusty



Vilo Concrete Dust



Vilo Calacatta Snow



Vilo Concrete Light



Vilo Concrete Beige



Vilo Concrete Dust

Vilo Rusty

VILO SPC PREMIUM RANGE

Solid PVC wall panels for Showers, Bathrooms and Kitchens

No Grouting – Mould and Mildew Resistant – Easy to Install – Adds Insulation – Impact Resistant


Panel Size mm 300mm x 600mm / 600mm x 1200mm

4mm Solid, Tongue and Grove Panels


Gloss Finishes



Vilo Calacatta White



Vilo Calacatta Black



Vilo Dark Stone




Vilo Ash Grey



Vilo Beige Marble Skin


Vilo Beige Marble Skin


Vilo Calacatta White Vilo Calacatta Black


Vilo Dark Stone


Vilo Ash Grey


Vilo Calacatta White

SPC for Walls Product Features

- Impact resistant
- Hygienic - reduces mould and mildew.
- Adds insulation - for heat and sound.
- Can be applied to virtually all surfaces- including tiles.
- No grouting.
- Quick, easy and clean to install.
- Easy to clean and maintain.
- Range of versatile profile fittings.
- Fitting at fitter's discretion

Technical Specification

- High impact modified u-PVC.
- 4mm solid pvc panel.
- Reaction to fire classification: B-s2-d0
- Interlocking on 4 sides, tongue and groove design with a flush flat finish.
- Range of edging and corner profiles.

Cleaning & Maintenance

- Ensure traces of adhesive and silicone sealant are removed from surface of cladding before they set.
- Use only Enviroclad approved cleaner.
- Use a mild soap solution and soft damp cloth to clean.
- Avoid use of abrasive or harsh chemical cleaning agents.
- Please request samples as colours may vary during printing of brochures.
- Colours may vary from batch to batch.

Limitations of Use


- Possible adverse reaction to solvent based adhesives - use recommended adhesives only.
- Application of adhesives, including adhesive tapes, to printed surface is not recommended.
- Exposure to extreme heat source may result in distortion of product.
- A stainless steel or glass panel should be fitted behind cookers or hobs.
- Despite a high level of surface protection, prolonged exposure to U.V. may result in colour variation.

Terms and Conditions and fitting guides can be viewed at www.enviroclad.com

SPC Trims & Profiles

Aluminium Trims available in Titanium, Black & Silver





Internal Corner





External Corner





Starter Trim/ End Cap



Universal Trim Champagne/Silver



PVC Starter Trim


PVC External Angle

PVC CEILING PANELS

PVC ceiling panels for Showers, Bathrooms and Kitchens


No Grouting – Mould and Mildew Resistant – Easy to Install – Adds Insulation – Reduces Condensation

Plank Size - 250mm x 6m 8mm Tongue and Groove Panels (Panels can be cut to size)




Matt White (matt finish)

Plank Size - 250mm x 2.6m 8mm Tongue and Groove Panels (Panels can be cut to size)




Ridged White (gloss finish)

Plank Size - 250mm x 2.6m /4m 8mm Tongue and Groove Panels (Panels can be cut to size)



Ridged Silver (gloss finish)



White Ash (matt finish)

Pvc Trims



Starter



Joiner

Recessed Lighting: Please note that only PL or CL type low energy down lighters are suitable with our ceiling panels.

VILO MPC DECORATIVE XL PANELS

XL Decorative Wall Panel and Slat Panels in two sizes, suitable for any room

No Grouting – Mould and Mildew Resistant – Easy to Install – Adds Insulation – Reduces Condensation

XL Decorative Wall Panel 600mm x 2.65m x 8mm
Tongue and Groove Panels

S Line Slat Panel - 148mm x 2.65m x 14mm
M Line Slat Panel - 160mm x 2.65m x 20mm



Rose Copper



Harmony Wood



Satin Cream



Brushed Steel



Deep Grey



Linen Fabric



Soft White



Mesh Touch


VILO MPC DECORATIVE XL PANELS

XL Decorative Wall Panel and Slat Panels in two sizes, suitable for any room

No Grouting – Mould and Mildew Resistant – Easy to Install – Adds Insulation – Reduces Condensation

XL Decorative Wall Panel 600mm x 2.65m x 8mm
Tongue and Groove Panels

S Line Slat Panel - 148mm x 2.65m x 14mm
M Line Slat Panel - 160mm x 2.65m x 20mm




Rose Copper S, M Panel & J Trim



Harmony Wood S, M Panel & J Trim




Satin Cream S Panel & J Trim



Brushed Steal S, M Panel & J Trim




Deep Grey S Panel & J Trim



Linen Fabric
M Panel & J Trim



Linen Fabric
S Panel & J Trim



Mesh Touch
M Panel & J Trim

Vilo MPC Decorative XL Panel Features

- Impact resistant
- Hygienic - reduces mould and mildew.
- Adds insulation - for heat and sound.
- Can be applied to virtually all surfaces including tiles.
- No grouting.
- Must be fitted with thin silicone bead applied in the tongue of the panel before interlocking panels to achieve a water tight seal.
- Quick, easy and clean to install.
- Easy to clean and maintain.
- Fitting at fitter's discretion

Technical Specification

- Crafted using MPC (Mineral
- Polymer Composite) technology.
- 8mm high density composite core
- Reaction to fire classification: B-s3-d0
- Tongue and groove design with a
- flush flat finish. Panel formats (XL, S & M can be freely combined in one arrangement.
- Matching colour premium aluminium core J trim.


Cleaning & Maintenance

- Ensure traces of adhesive and silicone sealant are removed from surface of cladding before they set.
- Use only Enviroclad approved cleaner.
- Use a mild soap solution and soft damp cloth to clean.
- Avoid use of abrasive or harsh chemical cleaning agents.
- Please request samples as colours may vary during printing of brochures.
- Colours may vary from batch to batch.
- Limitations of Use
- Possible adverse reaction to solvent based adhesives - use recommended adhesives only.
- Use of S & M Slat Panels not recommended in shower or bath.
- Application of adhesives, including adhesive tapes, to printed surface is not recommended.
- Exposure to extreme heat source may result in distortion of product.
- A stainless steel or glass panel should be fitted behind cookers or hobs.
- Despite a high level of surface protection, prolonged exposure to U.V. may result in colour variation.

Terms and Conditions and fitting guides can be viewed at www.enviroclad.com


Vilo MPC Mesh Touch


Vilo MPC Harmony Wood



Vilo MPC Deep Grey



Vilo MPC Rose Copper



Vilo MPC Satin Cream



Vilo MPC Satin Cream & Harmony Wood



Vilo MPC Brushed Steel



Vilo MPC Linen Fabric



Vilo MPC Brushed Steel



Vilo MPC Soft White

VOX LINERIO SLAT PANELS

3D Composite Wall Panels for Feature Walls and demanding areas such as hallways and workspaces

Quick and Easy Installation - Improve Insulation - Impact Resistant - Choice of mounting options vertically, horizontally, diagonally

Panel Size: 115mm x 2.65mm *12mm (S and M Line) / 21mm (L line) Tongue and Grove Panel*

Three available lines – S, M, or L, each with different width and depth of the slats.



Natural S, M and L Line




Natural Black S and M Line




Mocha S, M and L Line



Anthracite S, M and L Line



Grey S, M and L Line



White S, M and L Line

Also available in Chocolate M and L Lines and Black S, M and L Lines


Left, Right and Universal Trims available in matching colours



VOX Linerio Natural S Line




VOX Linerio Grey M Line



VOX Linerio Natural Black M Line



VOX Linerio Chocolate M Line



VOX Linerio Mocha L Line



VOX Linerio White L Line



VOX Linerio Natural S Line



VOX Linerio White M Line



VOX Linerio Anthracite L Line

MILLENNIUM DECOR RANGE

Vilo Motivo Decorative PVC wall panels for Showers, Bathrooms and Kitchens

No Grouting – Mould and Mildew Resistant – Easy to Install – Adds Insulation – Reduces Condensation

Pack Size (4 planks)- 1000mm x 2.65m
Panels to be fitted in sequence 1-4

Plank Size - 250mm x 2.65

8mm Twin Wall,
Tongue and Groove Panels



Sandstone

White Gloss



Woodblock



Whitewash Pine



Bronze Tile



StoneTile



Marble Tile



Slate Tile


Stone Tile


Marble Tile



Whitewash Pine

MILLENNIUM ELEGANCE RANGE

Vilo Motivo Decorative PVC wall panels for Showers, Bathrooms and Kitchens

No Grouting – Mould and Mildew Resistant – Easy to Install – Adds Insulation – Reduces Condensation


Pack Size (4 planks)- 1000mm x 2.65m
Panels to be fitted in sequence 1-4

Plank Size - 250mm x 2.65

8mm Twin Wall,
Tongue and Groove Panels



Elegance Stone




Anthracite Tile Small




Anthracite Tile Large




Gold Marble



Modern Tile Small



Modern Tile Large


Anthracite Tile Small
Modern Tile Small
Anthracite Tile Large


Elegance Stone

MILLENNIUM IMPRESSION RANGE

Vilo Motivo Decorative PVC wall panels for Showers, Bathrooms and Kitchens

No Grouting – Mould and Mildew Resistant – Easy to Install – Adds Insulation – Reduces Condensation

Pack Size (4 planks)- 1000mm x 2.65m
Panels to be fitted in sequence 1-4

Plank Size - 250mm x 2.65m


8mm Twin Wall,
Tongue and Groove Panels



Red Brick



White Brick




Blue Brick



Bar Mosaic



Patchwork



Graphite



Light Concrete




Dark Concrete


Graphite


Bar Mosaic


Patchwork


Red Brick


Dark Concrete


White Brick

LIMITED EDITION RANGE

Vilo Motivo Decorative PVC wall panels for Showers, Bathrooms and Kitchens

No Grouting – Mould and Mildew Resistant – Easy to Install – Adds Insulation – Reduces Condensation

PLEASE NOTE LIMITED EDITIONS ARE SUBJECT TO CHANGE

Pack Size (4 planks)- 1000mm x 2.65m
Panels to be fitted in sequence 1-4

Plank Size - 250mm x 2.65m

8mm Twin Wall,
Tongue and Groove Panels



Antique Wood




White Sparkle



Monstera



Taupe Leaves



Light Lamella Small

Vilo Motivo Decorative Wall Panel Features

- Hygienic - reduces mould and mildew.
- Adds insulation - for heat and sound.
- Can be applied to virtually all surfaces - including tiles
- No grouting. Easy to clean and maintain
- Quick, easy and clean to install.
- Fit in panel sequence 1-4.
- Range of versatile profile fittings.
- Fitting at fitters discretion

Technical Specification

- High impact modified u-PVC.
- 8mm twin-wall construction.
- Reaction to fire classification: C - s3, d0
- Interlocking, 'tongue and groove' design
- with a flush flat finish.
- Range of edging and corner profiles.
- Optional finish products - borders, coving, skirting, dado.

Cleaning and Maintenance

- Ensure traces of adhesive and silicone sealant are removed from surface of cladding before they set.
- Use only Enviroclad approved cleaner.
- Use a mild soap solution and soft damp cloth to clean.
- Avoid use of abrasive or harsh chemical cleaning agents.
- Please request samples as colours may
- vary during printing of brochures.
- Colours may vary from batch to batch.

Limitations of Use

- Possible adverse reaction to solvent based adhesives - use recommended adhesives only.
- Application of adhesives, including adhesive tapes, to printed surface is not recommended.
- Exposure to extreme heat source may result in distortion of product.
- A stainless steel or glass panel should
- be fitted behind cookers or hobs.
- Despite a high level of surface protection, prolonged exposure to U.V. may result in colour variation.

Terms and Conditions and fitting guides can be viewed at www.enviroclad.com


Taupe Leaves


Light Lamella Small


Monstera

Pvc Trims



Starter Trim


Bath Trim


External Corner


Internal Corner

Flexible Corner


Joiner Trim

enviroclad Shop ltd

SPC & LINERIO SLAT PANELS

A PREMIUM FEATURE WALL ALTERNATIVE


Vilo Concrete Light


Vilo Calacatta White & Black


VOX Linerio Slat Panel - Natural


VOX Linero Slat Panel - Mocha

Actual colour may be different from images displayed, please contact us to request a free sample.
Return of goods will be accepted within 30 days with proof of purchase, upon quality inspection. After 30 days 20% restocking fee may apply.

Unit 57b, Hebron Industrial Estate, Hebron Road, Kilkenny, Ireland. R95 KX64

+353 56 7752866
info@enviroclad.com

enviroclad.com
Showroom open in Kilkenny

facebook.com/enviroclad
Nationwide Delivery Service