



DECORATIVE PVC & SPC PANELS

A MODERN ALTERNATIVE TO TILES



Bar Mosaic



Monstera



Calacatta Black



Concrete Beige

 Unit 57b, Hebron Industrial Estate, Hebron Road, Kilkenny, Ireland. R95 KX64

 +353 56 7752866

 enviroclad.com

 facebook.com/enviroclad

 info@enviroclad.com

Showroom open in Kilkenny

Nationwide Delivery Service

SPC PREMIUM RANGE

Solid PVC wall panels for Showers, Bathrooms and Kitchens

No Grouting – Mould and Mildew Resistant – Easy to Install – Adds Insulation – Impact Resistant

Panel Size 300mm x 600mm / 600mm x 1200mm

4mm Solid, Tongue and Groove Panels

Matt Finishes



Calacatta Snow




Concrete Light



Concrete Beige



Rusty



Concrete Dust

Trims



Pvc J Trim



Pvc External Angle



Aluminium Universal Trim



Calacatta Snow



Concrete Light



Concrete Beige



Concrete Dust

Rusty

SPC PREMIUM RANGE

Solid PVC wall panels for Showers, Bathrooms and Kitchens

No Grouting – Mould and Mildew Resistant – Easy to Install – Adds Insulation – Impact Resistant


Panel Size mm 300mm x 600mm / 600mm x 1200mm

4mm Solid, Tongue and Groove Panels


Gloss Finishes



Calacatta White




Calacatta Black



Dark Stone



Ash Grey



Beige Marble Skin

Trims



Pvc J Trim



Pvc External Angle



Aluminium Universal Trim



Beige Marble Skin



Calacatta White

Calacatta Black



Dark Stone



Grey Marble



Grey Ardesia



Ash Grey

SPC for Walls Product Features

- Impact resistant
- Hygienic - reduces mould and mildew.
- Adds insulation - for heat and sound.
- Can be applied to virtually all surfaces- including tiles.
- No grouting.
- Quick, easy and clean to install.
- Easy to clean and maintain.
- Range of versatile profile fittings.
- Fitting at fitter's discretion

Technical Specification

- High impact modified u-PVC.
- 4mm solid pvc panel.
- Reaction to fire classification: B-s2-d0
- Interlocking on 4 sides, tongue and groove design with a flush flat finish.
- Range of edging and corner profiles.

Cleaning & Maintenance

- Ensure traces of adhesive and silicone sealant are removed from surface of cladding before they set.
- Use only Enviroclad approved cleaner.
- Use a mild soap solution and soft damp cloth to clean.
- Avoid use of abrasive or harsh chemical cleaning agents.
- Please request samples as colours may vary during printing of brochures.
- Colours may vary from batch to batch.


Limitations of Use

- Possible adverse reaction to solvent based adhesives - use recommended adhesives only.
- Application of adhesives, including adhesive tapes, to printed surface is not recommended.
- Exposure to extreme heat source may result in distortion of product.
- A stainless steel or glass panel should be fitted behind cookers or hobs.
- Despite a high level of surface protection, prolonged exposure to U.V. may result in colour variation.


Terms and Conditions and fitting guides can be viewed at www.enviroclad.com



Calacatta




Grey Ardesia



Brown Marble



Grey Marble



Black Fuego


Panel Size 300mm x 600mm / 470mm x 940mm, Gloss Finishes

PVC CEILING PANELS

PVC ceiling panels for Showers, Bathrooms and Kitchens


No Grouting – Mould and Mildew Resistant – Easy to Install – Adds Insulation – Reduces Condensation

*Plank Size - 250mm x 6m 8mm
Tongue and Groove Panels
(Panels can be cut to size)*



Matt White (matt finish)

*Plank Size - 250mm x 2.6m
8mm Tongue and Groove Panels
(Panels can be cut to size)*




Ridged White (gloss finish)

*Plank Size - 250mm x 2.6m /4m
8mm Tongue and Groove Panels
(Panels can be cut to size)*



Ridged Silver (gloss finish)



White Ash (matt finish)

Pvc Trims



Starter



Joiner

Recessed Lighting: Please note that only PL or CL type low energy down lighters are suitable with our ceiling panels.

LINERIO SLAT PANELS

3D Acoustic Wall Panels for Feature Walls and demanding areas such as Hallways and Workspaces

Quick & Easy Installation - Improve Insulation - Impact Resistant - Choice of mounting options vertically, horizontally, diagonally


Panel Size: 115mm x 2.65mm

12mm (S and M Line) / 21mm (L line) Tongue and Groove Panel

Three available lines – S, M, or L, each with different width and depth of the slats.



Natural S, M and L Line




Natural Black S and M Line



Mocha S, M and L Line



Anthracite S, M and L Line



Grey S, M and L Line



White S, M and L Line

Also available in Chocolate M and L Lines and Black S, M and L Lines


Left, Right and Universal Trims available in matching colours



Natural S Line



Grey M Line



Natural Black M Line



Chocolate M Line



Mocha L Line



Mocha L Line White L Line

MILLENNIUM RANGE

Decorative PVC wall panels for Showers, Bathrooms and Kitchens

No Grouting – Mould and Mildew Resistant – Easy to Install – Adds Insulation – Reduces Condensation

Pack Size (4 planks)- 1000mm x 2.65m

Plank Size - 250mm x 2.65

8mm Twin Wall,
Tongue and Groove Panels

* Panels to be fitted in sequence 1-4



Sandstone*



Grey (gloss finish)




Beige (gloss finish)



Green (gloss finish)



Pink (gloss finish)



White (gloss finish)



MILLENNIUM DECOR RANGE


Decorative PVC wall panels for Showers, Bathrooms and Kitchens

No Grouting – Mould and Mildew Resistant – Easy to Install – Adds Insulation – Reduces Condensation

*Pack Size (4 planks)- 1000mm x 2.65m
Panels to be fitted in sequence 1-4*

Plank Size - 250mm x 2.65

*8mm Twin Wall,
Tongue and Groove Panels*



Bronze




Woodblock



Whitewash Pine



Stone Tile



Marble Tile



Slate Tile



Stone Tile



Marble Tile



Whitewash Pine

MILLENNIUM ELEGANCE RANGE

Decorative PVC wall panels for Showers, Bathrooms and Kitchens

No Grouting – Mould and Mildew Resistant – Easy to Install – Adds Insulation – Reduces Condensation


Pack Size (4 planks)- 1000mm x 2.65m
Panels to be fitted in sequence 1-4

Plank Size - 250mm x 2.65

8mm Twin Wall,
Tongue and Groove Panels



Elegance Stone



Anthracite Tile Small



Anthracite Tile Large



Gold Marble




Modern Tile Small



Modern Tile Large

Anthracite Tile Small

Modern Tile Small



Anthracite Tile Large



Elegance Stone

MILLENNIUM IMPRESSION RANGE

Decorative PVC wall panels for Showers, Bathrooms and Kitchens

No Grouting – Mould and Mildew Resistant – Easy to Install – Adds Insulation – Reduces Condensation

*Pack Size (4 planks)- 1000mm x 2.65m
Panels to be fitted in sequence 1-4*

Plank Size - 250mm x 2.65m

*8mm Twin Wall,
Tongue and Groove Panels*



Red Brick



White Brick



Blue Brick




Bar Mosaic



Patchwork



Graphite



Light Concrete



Dark Concrete




Graphite



Bar Mosaic



Patchwork



Red Brick



Dark Concrete



White Brick

LIMITED EDITION RANGE

Decorative PVC wall panels for Showers, Bathrooms and Kitchens

No Grouting – Mould and Mildew Resistant – Easy to Install – Adds Insulation – Reduces Condensation

PLEASE NOTE LIMITED EDITIONS ARE SUBJECT TO CHANGE


Pack Size (4 planks)- 1000mm x 2.65m
Panels to be fitted in sequence 1-4

Plank Size - 250mm x 2.65m

8mm Twin Wall,
Tongue and Groove Panels



Antique Wood



White Sparkle




Black Sparkle



Monstera



Taupe Leaves



Light Lamella Small

Decorative Wall Panel Features

- Hygienic - reduces mould and mildew.
- Adds insulation - for heat and sound.
- Can be applied to virtually all surfaces - including tiles.
- No grouting.
- Quick, easy and clean to install.
- Fit in panel sequence 1-4.
- Easy to clean and maintain.
- Range of versatile profile fittings.
- Can be fitted onto existing ceilings - no more painting!
- Fitting at fitters discretion

Technical Specification

- High impact modified u-PVC.
- 8mm twin-wall construction.
- Reaction to fire classification: C - s3, d0
- Interlocking, 'tongue and groove' design with a flush flat finish.
- Range of edging and corner profiles.
- Optional finish products - borders, coving, skirting, dado.

Cleaning and Maintenance

- Ensure traces of adhesive and silicone sealant are removed from surface of cladding before they set.
- Use only Enviroclad approved cleaner.
- Use a mild soap solution and soft damp cloth to clean.
- Avoid use of abrasive or harsh chemical cleaning agents.
- Please request samples as colours may vary during printing of brochures.
- Colours may vary from batch to batch.

Limitations of Use

- Possible adverse reaction to solvent based adhesives - use recommended adhesives only.
- Application of adhesives, including adhesive tapes, to printed surface is not recommended.
- Exposure to extreme heat source may result in distortion of product.
- A stainless steel or glass panel should be fitted behind cookers or hobs.
- Despite a high level of surface protection, prolonged exposure to U.V. may result in colour variation.

Terms and Conditions and fitting guides can be viewed at www.enviroclad.com



Taupe Leaves



Light Lamella Small



Monstera

Pvc Trims



Starter Trim



Bath Trim




External Corner



Internal Corner



Flexible Corner



Joiner Trim



SPC & LINERIO SLAT PANELS

A PREMIUM FEATURE WALL ALTERNATIVE



Concrete Light



Calacatta White & Black



Linerio Slat Panel - Natural



Linerio Slat Panel - Mocha

Actual colour may be different from images displayed, please contact us to request a free sample.
Return of goods will be accepted within 30 days with proof of purchase, upon quality inspection. After 30 days 20% restocking fee may apply.

Unit 57b, Hebron Industrial Estate, Hebron Road, Kilkenny, Ireland. R95 KX64

+353 56 7752866

info@enviroclad.com

enviroclad.com

Showroom open in Kilkenny

facebook.com/enviroclad

Nationwide Delivery Service